

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 30-2814: Anti-Hu CD235a Biotin

Clonality: Monoclonal Clone Name: IC159

**Application :** IHC, IHC-Fr, FACS **Reactivity :** Rat, Human

Conjugate: Biotin
Gene: GYPA
Gene ID: 2993
Uniprot ID: P02724

Alternative Name: glycophorin A (MNS blood group) Glycophorin A, GYPA, GPA, PAS-2, Sialoglycoprotein alpha,

MN sialoglycoprotein, GPSAT, GPErik, MSN blood group

**Immunogen Information :** Membrane preparation from splenic hairy cell leukemia

## **Description**

CD235a (Glycophorin A, GPA) is a transmembrane sialoglycoprotein expressed on erythrocytes and their precursors. Similarly to glycophorin B (GPB), these molecules provide the cells with a large mucin-like surface, which minimalizes aggregation between erythrocytes in the circulation. GPA is the carrier of blood group M and N specificities, while GPB accounts for S, s and U specificities. CD235a is a receptor of Hsa, an Streptococcus adhesin.

Specificity: The mouse monoclonal antibody JC159 recognizes an epitope between amino acids 27 and 40 of the extracellular portion of CD235a (glycophorin A), a sialoglycoprotein expressed on early erythroblasts, late erythroblasts, erythroblasts, mature erythrocytes and the cells of erythroid cell lines K562 and HEL. The antibody does not react with glycophorin B.

## **Product Info**

Amount: 0.1 mg

**Purification:** Purified antibody is conjugated with biotin LC-NHS ester under optimum conditions and

unconjugated antibody and free biotin are removed by size-exclusion chromatography.

Content: Concentration: 1 mg/ml

Storage Buffer: Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide

**Storage condition :** Store at 2-8°C. Do not freeze.

## **Application Note**

Flow cytometry: Recommended dilution: 1-4 Ã\[\hat{A}\pi\gert{A}\mu\gert{g}/ml.