w abeomics

32-18254: Human IL4RA Protein, mFc Tag

Uniprot ID : P24394 Alternative Name : CD124;IL-4RA;IL4RA

Description

Description : Recombinant Human IL4RA with C-terminal mouse Fc tag

Background : This gene encodes the alpha chain of the interleukin-4 receptor, a type I transmembrane protein that can bind interleukin 4 and interleukin 13 to regulate IgE production. The encoded protein also can bind interleukin 4 to promote differentiation of Th2 cells. A soluble form of the encoded protein can be produced by proteolysis of the membrane-bound protein, and this soluble form can inhibit IL4-mediated cell proliferation and IL5 upregulation by T-cells. Allelic variations in this gene have been associated with atopy, a condition that can manifest itself as allergic rhinitis, sinusitus, asthma, or eczema. Polymorphisms in this gene are also associated with resistance to human immunodeficiency virus type-1 infection. Alternate splicing results in multiple transcript variants.

Molecular Characterization: mass of 49.8 kDa after removal of the signal peptide. The apparent molecular mass of IL4RAmFc is approximately 70-100 kDa due to glycosylation.

Tag :C-Mouse Fc Tag

Product Info

Amount :	50 μg / 100 μg
Purification :	The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.
Content :	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization.
Storage condition :	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

kDa	M R
250 130 100 70	=
55	
35	
25	Contraction of the
15	
10	

Figure 1. Human IL4RA Protein, mFc Tag on SDS-PAGE under reducing condition.



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982 Email: info@abeomics.com




Figure 2. ELISA plate pre-coated by 2 \hat{l}_{4} g/mL (100 \hat{l}_{4} L/well) Human IL4RA Protein, mFc Tag can bind Anti-IL4RA antibody(DMC284), IgG1 Chimeric mAb in a linear range of 16.0-400 ng/mL.