

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 32-18336: Human MICAa3 Protein, mFc Tag

**Uniprot ID:** Q29983

Alternative Name: MICA;MIC-A;PERB11.1

## **Description**

Description: Recombinant human MICAa3 Protein with C-terminal mouse Fc tag

Background: This gene encodes the highly polymorphic major histocompatability complex class I chain-related protein A. The protein product is expressed on the cell surface, although unlike canonical class I molecules it does not seem to associate with beta-2-microglobulin. It is a ligand for the NKG2-D type II integral membrane protein receptor. The protein functions as a stressinduced antigen that is broadly recognized by intestinal epithelial gamma delta T cells. Variations in this gene have been associated with susceptibility to psoriasis 1 and psoriatic arthritis, and the shedding of MICA-related antibodies and ligands is involved in the progression from monoclonal gammopathy of undetermined significance to multiple myeloma. Alternative splicing of this gene results in multiple transcript variants.

Molecular Characterization: mass of 37.9 kDa after removal of the signal peptide. The apparent molecular mass of MICAa3(203-306)-mFc is approximately 35-70 kDa due to glycosylation.

Tag: C-mouse Fc Tag

## **Product Info**

Amount:  $50 \mu g / 100 \mu g$ 

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue Purification:

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before Content:

lyophilization.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for Storage condition:

use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized

proteins are shipped at ambient temperature.




Figure 1. Human MICAα3 Protein, mFc Tag on SDS-PAGE under reducing condition.