

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-18420: Human TIM3 Protein, hFc Tag

Uniprot ID: Q8TDQ0

Alternative Name: HAVCR2; CD366; KIM-3; SPTCL; TIMD3; Tim-3; TIMD-3; HAVcr-2

Description

Description: Recombinant human TIM3 Protein with C-terminal human Fc tag

Background: The protein encoded by this gene belongs to the immunoglobulin superfamily, and TIM family of proteins. CD4positive T helper lymphocytes can be divided into types 1 (Th1) and 2 (Th2) on the basis of their cytokine secretion patterns. Th1 cells are involved in cell-mediated immunity to intracellular pathogens and delayed-type hypersensitivity reactions, whereas, Th2 cells are involved in the control of extracellular helminthic infections and the promotion of atopic and allergic diseases. This protein is a Th1-specific cell surface protein that regulates macrophage activation, and inhibits Th1-mediated auto- and alloimmune responses, and promotes immunological tolerance.

Molecular Characterization: mass of 46.1 kDa after removal of the signal peptide. The apparent molecular mass of TIM3-hFc is approximately 55-100 kDa due to glycosylation.

Tag: C-Human Fc tag

Product Info

Amount: $50 \mu g / 100 \mu g$

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue **Purification:**

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before Content:

lyophilization.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for Storage condition:

use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized

proteins are shipped at ambient temperature.




Figure 1. Human TIM3 Protein, hFc Tag on SDS-PAGE under reducing condition.