

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-18450: Human FCRL5(745-847)Protein, hFc Tag

Uniprot ID: Q96RD9

Alternative Name: CD307; FCRH5; IRTA2; BXMAS1; CD307e; PRO820

Description

Description: Recombinant human FCRL5(745-847) Protein with C-terminal human Fc tag

Background: This gene encodes a member of the immunoglobulin receptor superfamily and the Fc-receptor like family. This gene and several other Fc receptor-like gene members are clustered on the long arm of chromosome 1. The encoded protein is a single-pass type I membrane protein and contains 8 immunoglobulin-like C2-type domains. This gene is implicated in B cell development and lymphomagenesis. Alternatively spliced transcript variants encoding different isoforms have been identified. **Molecular Characterization:** mass of 36.9 kDa after removal of the signal peptide. The apparent molecular mass of

FCRL5(745-847)-hFc is approximately 35-70 kDa due to glycosylation.

Tag: C-Human Fc tag

Product Info

Amount: 50 μg / 100 μg

Purification:

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

staining.

Content: Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before

lyophilization.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for

Storage condition: use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized

proteins are shipped at ambient temperature.




Figure 1. Human FCRL5(745-847) Protein, hFc Tag on SDS-PAGE under reducing condition.




Figure 2. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human FCRL5(745-847) Protein, hFc Tag can bind Anti-FCRL5(cevostamab biosimilar without anti-CD3 portion) mAb in a linear range of 3.20–400 ng/mL.