

## 12-9463: Anti-FZD10 antibody(DMC487); IgG1 Chimeric mAb

Clonality :	Monoclonal
Clone Name :	DMC487
Application :	FACS
Reactivity :	Human
Uniprot ID :	Q9ULW2
Alternative Name :	CD350; FZ-10; Fz10; FzE7; hFz10
Isotype :	Rabbit/Human Fc chimeric IgG1

### **Description**

Description :Anti-FZD10 antibody(DMC487); IgG1 Chimeric mAb

This gene is a member of the frizzled gene family. Members of this family encode 7-transmembrane domain proteins that are receptors for the Wingless type MMTV integration site family of signaling proteins. Most frizzled receptors are coupled to the beta-catenin canonical signaling pathway. Using array analysis; expression of this intronless gene is significantly up-regulated in two cases of primary colon cancer. [provided by RefSeq; Jul 2008]

### **Product Info**

Amount :	10 μg / 100 μg
Purification :	Purified from cell culture supernatant by affinity chromatography
Content :	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Storage condition :	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

# **Application Note**

#### FACS 1:100



Figure 1. Flow cytometry analysis with Anti-FZD10 (DMC487) on Expi293 cells transfected with human FZD10 (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).