

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

12-9468: Anti-CD32a antibody(DMC494); IgG1 Chimeric mAb

Clonality: Monoclonal
Clone Name: DMC494
Application: FACS
Reactivity: Human
Uniprot ID: P12318

Alternative Name: CD32; CD32A; CDw32; FCG2; FcGR; FCGR2; FCGR2A1; IGFR2

Isotype: Rabbit/Human Fc chimeric IgG1

Description

Description: Anti-CD32a antibody(DMC494); IgG1 Chimeric mAb

This gene encodes one member of a family of immunoglobulin Fc receptor genes found on the surface of many immune response cells. The protein encoded by this gene is a cell surface receptor found on phagocytic cells such as macrophages and neutrophils; and is involved in the process of phagocytosis and clearing of immune complexes. Alternative splicing results in multiple transcript variants. [provided by RefSeq; Oct 2008]

Product Info

Amount: $10 \mu g / 100 \mu g$

Purification : Purified from cell culture supernatant by affinity chromatography

Content: Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before

lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended

Storage condition : for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient temperature.

Application Note

FACS 1:100




Figure 1. Flow cytometry analysis with Anti-CD32a (DMC494) on Expi293 cells transfected with human CD32a (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).