

12-9498: Anti-FGF19 antibody(6A5); IgG1 Chimeric mAb

| | |
|---------------------------|-------------------------------|
| Clonality : | Monoclonal |
| Clone Name : | 6A5 |
| Application : | FACS |
| Reactivity : | Human |
| Uniprot ID : | O95750 |
| Alternative Name : | FGF-19;UNQ334/PRO533 |
| Isotype : | Rabbit/Human Fc chimeric IgG1 |

Description

Description :Anti-FGF19 antibody(6A5); IgG1 Chimeric mAb

The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF family members possess broad mitogenic and cell survival activities, and are involved in a variety of biological processes including embryonic development cell growth, morphogenesis, tissue repair, tumor growth and invasion. This growth factor is a high affinity, heparin dependent ligand for FGFR4. Expression of this gene was detected only in fetal but not adult brain tissue. Synergistic interaction of the chick homolog and Wnt-8c has been shown to be required for initiation of inner ear development. [provided by RefSeq, Jul 2008]

Product Info

| | |
|----------------------------|---|
| Amount : | 10 µg / 100 µg |
| Purification : | Purified from cell culture supernatant by affinity chromatography |
| Content : | Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. |
| Storage condition : | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. |

Application Note

FACS 1/100




Figure 1. Flow cytometry analysis (Intracellular) with Anti-FGF19 (6A5) mAb on Expi293 cells transfected with human FGF19 (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).