

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

12-9514: Anti-FZD4 antibody(10E10), IgG1 Chimeric mAb

Clonality: Monoclonal
Clone Name: 10E10
Application: FACS
Reactivity: Human
Uniprot ID: Q9ULV1

Alternative Name: CD344; EVR1; FEVR; Fz-4; Fz4; FZD4S; FzE4; GPCR; hFz4

Isotype: Rabbit/Human Fc chimeric IgG1

Description

Description: Anti-FZD4 antibody(10E10), IgG1 Chimeric mAb

This gene is a member of the frizzled gene family. Members of this family encode seven-transmembrane domain proteins that are receptors for the Wingless type MMTV integration site family of signaling proteins. Most frizzled receptors are coupled to the beta-catenin canonical signaling pathway. This protein may play a role as a positive regulator of the Wingless type MMTV integration site signaling pathway. A transcript variant retaining intronic sequence and encoding a shorter isoform has been described, however, its expression is not supported by other experimental evidence. [provided by RefSeq, Jul 2008]

Product Info

Amount : $10 \mu g / 100 \mu g$

Purification: Purified from cell culture supernatant by affinity chromatography

Content: Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before

lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended

for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient temperature.

Application Note

Storage condition:

FACS 1/100




Figure 1. Flow cytometry analysis with $11\frac{1}{4}$ g/mL Anti-FZD4 (10E10) mAb on Expi293 cells transfected with human FZD4 (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).