

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 12-9617B: Biotinylated Anti-MICA antibody(7F12), IgG1 Chimeric mAb

**Clonality:** Monoclonal

Clone Name: 7F12

Application: WB; Flow Cyt
Reactivity: Human
Gene: MICA
Uniprot ID: Q29983

Alternative Name: MIC-A; PERB11.1

**Isotype:** Rabbit/Human Fc chimeric IgG1

## **Description**

This gene encodes the highly polymorphic major histocompatability complex class I chain-related protein A. The protein product is expressed on the cell surface, although unlike canonical class I molecules it does not seem to associate with beta-2-microglobulin. It is a ligand for the NKG2-D type II integral membrane protein receptor. The protein functions as a stress-induced antigen that is broadly recognized by intestinal epithelial gamma delta T cells. Variations in this gene have been associated with susceptibility to psoriasis 1 and psoriatic arthritis, and the shedding of MICA-related antibodies and ligands is involved in the progression from monoclonal gammopathy of undetermined significance to multiple myeloma. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq, Jan 2014]

## **Product Info**

**Amount :**  $10 \mu g / 100 \mu g$ 

**Purification:** Purified from cell culture supernatant by affinity chromatography

Content: Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before

lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended

**Storage condition:** for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient temperature.

## **Application Note**

WB 1:1000; Flow Cyt 1:100