9853 Pacific Heights Blvd.
Suite D. San Diego,
CA 92121, USA
Tel: 858-263-4982
Email: info@abeomics.com

12-90118: Anti-CCL17(denrakibart biosimilar) mAb

Application :	ELISA
Reactivity :	Human
Conjugate :	Unconjugated
Gene :	CCL17
Uniprot ID :	Q92583
Alternative Name :	ABCD-2;CC chemokine TARC;C-C motif chemokine 17;CCL17;chemokine (C-C motif) ligand 17;MGC138273;SCYA17MGC138271;small inducible cytokine subfamily A (Cys-Cys);member 17;Small-inducible cytokine A17;T cell-directed CC chemokine;TARC;TARCA-152E5.3;Thymus and activation-regulated chemokine
Isotype :	IgG2

Description

Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.

Product Info

Amount :	50µg / 100µg
Content :	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Storage condition :	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

Application Note

ELISA 1:5000-10000




Figure 1. ELISA plate pre-coated by 2 µg/mL (100 µL/well) Human CCL17 Protein, hFc Tag can bind Anti-CCL17(denrakibart biosimilar) mAb in a linear range of 625–1250 ng/mL. Mouse anti-human Fab-specific antibody was used as detection antibody.

For Research Use Only. Not for use in diagnostic/therapeutics procedures.