

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 12-8274: Anti-West Nile Virus (Clone: WNV-99)-Purified No Carrier Protein

Clonality: Monoclonal Clone Name: WNV-99 **Application:** ELISA

Isotype: Human IgG1

## **Description**

Specificity: WNV-99 activity is directed against the wing, flexible loop of NS1. During the screening phase and post characterization clone WNV-99 was found to bind to solid-phase recombinant WNV NS1 protein and to NS1 expressed on the surface of intact WNV-infected Vero cells. Plus, also engaged the hexameric form of NS1. WNV-99 was cross-reactive against Japanese Encephalitis Virus and Tick-borne Encephalitis Virus in a direct ELISA using recombinant NS1 proteins. Background: West Nile Virus (WNV) is a mosquito-borne, enveloped, positive-stranded RNA flavivirus1. Flavivirus

nonstructural protein NS1 has been proposed as an antibody target to avoid antibody-dependent enhancement2. NS1 is a 46-55 kDa glycoprotein that is expressed as a dimer on the cell surface and as a soluble hexamer in the extracellular space and in circulation during infection. WNV NS1 dimer consists of a ?-roll, wing, and ?-ladder.

## **Product Info**

Amount: 1 mg / 250µg

Purity: >=90% monomer by analytical SEC and SDS-Page

Preparation: Recombinant antibodies are manufactured in an animal free facility using only in **Purification:** vitro protein free cell culture techniques and are purified by a multi-step process including the

use of protein A or G to assure extremely low levels of endotoxins, leachable protein A or

aggregates.

Concentration: >=1.0 mg/ml

Formulation: This recombinant monoclonal antibody is aseptically packaged and formulated in

0.01 M phosphate buffered saline (150 mM NaCl) PBS pH 7.2 - 7.4 with no carrier protein, potassium, calcium or preservatives added. Due to inherent biochemical properties of

antibodies, certain products may be prone to precipitation over time. Precipitation may be

removed by aseptic centrifugation and/or filtration.

This antibody may be stored sterile as received at 2-8°C for up to one month. For longer term

storage, aseptically aliquot in working volumes without diluting and store at <= -70°C.?Avoid

Repeated Freeze Thaw Cycles.

## **Application Note**

**Storage condition:** 

FLISA FC

Content: