9853 Pacific Heights Blvd.
Suite D. San Diego,
CA 92121, USA
Tel: 858-263-4982
Email: info@abeomics.com

12-8464: Anti-SARS-CoV-2 Nucleocapsid (N) (Clone NP1-F3) Biotin

Clonality :	Monoclonal
Clone Name :	NP1-F3
Application :	ELISA
Alternative Name :	COV2-NP1-F3, SARS-CoV-2 Nucleocapsid, SARS-CoV-2 Nucleoprotein, Protein N, SARS-CoV N Protein
Isotype :	Human IgG1

Description

Specificity: Anti-SARS-CoV-2 Nucleocapsid, clone NP1-F3, specifically targets an epitope on the SARS-CoV-2 nucleocapsid protein. Furthermore, it is reported to bind to the RNA binding domain of the N protein.
Antigen Distribution: The nucleocapsid protein is expressed in the internal nucleocapsid of SARS-CoV-2.
Background: Coronavirus disease 2019 (COVID-19) is caused by the Coronaviridae family virus severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)1. SARS-CoV-2 has four structural proteins encoded by its single-stranded, positive-sense RNA genome: the spike (S), envelope (E), membrane (M), and nucleocapsid (N) proteins2. The N protein is a highly conserved 46 kDa protein that shares 90% homology with SARS-CoV3. The N protein has an N-terminal (NTD) and C-terminal domain (CTD), which bind to RNA and self-oligomerize, respectively4,5, forming a helical nucleocapsid structure within the viral envelope6. Other functions of the N protein included viral transcription, replication, and modulating cell signaling pathways7,8. The N protein is abundantly expressed during infection, and antibodies3,9 and memory T cells10,11 targeting the N protein have been identified in convalescent sera. Therefore, the N protein is a target in some vaccines and diagnostic assays12. The N protein also has therapeutic potential, as it evades RNAi-mediated antiviral responses13.

Product Info

Amount :	50 µg
Content :	Concentration:0.5 mg/ml Formulation: This Biotinylated antibody is formulated in 0.01 M phosphate buffered saline (150 mM NaCl) PBS pH 7.4, 1% BSA and 0.09% sodium azide as a preservative.
Storage condition :	This biotinylated antibody is stable when stored at 2-8°C.?Do not freeze.

For Research Use Only. Not for use in diagnostic/therapeutics procedures.