

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-1598: MIF His N Recombinant Protein

Alternative Name: Phenylpyruvate tautomerase, Glycosylation-inhibiting factor, GIF, MMIF, MIF.

Description

Source: Escherichia Coli. MIF human Recombinant, fused to His-tag at N-terminus, was cloned into an E. coli expression vector and was purified to apparent homogeneity by using conventional column chromatography techniques. Macrophage Inducing Factor Human Recombinant is a single, non-glycosylated, polypeptide chain having amino acids from 1-114 and having a molecular mass of 16.6 kDa. The cytokine Macrophage migration inhibitory factor (MIF) has been identified to be secreted by the pituitary gland and the monocyte/macrophage and to play an important role in endotoxic shock. MIF has the unique property of being released from macrophages and T cells in response to physiological concentrations of glucocorticoids. The secretion of MIF is tightly regulated and decreases at high, anti-inflammatory steroid concentration.

Product Info

Amount: 25 μg

Purification: Greater than 95.0% as determined by:(a) Analysis by RP-HPLC. (b) Analysis by SDS-PAGE.

Content: 1mg/ml solution containing PBS pH-7.4.

Liquid MIF although stable 4°C for 1 week, should be stored below -18°C. Please prevent freeze-Storage condition:

thaw cycles.

Amino Acid: MRGSHHHHHHGMASMTGGOOMGRDLYDDDDKDRWGSMPMFIVNTNV PRASVPDGFL SELTOOLAOA

TGKPPOYIAV HVVPDOLMAF GGSSEPCALC LHSIGKIGGA ONRSYSKLLC GLLAERLRIS PDRVYINYYD

MNAANVGWNN STFA.

