

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 11-13003: Polyclonal Antibody to TRBP

Clonality: Polyclonal

Application: WB Reactivity: Human Gene: TARBP2 Gene ID: 6895 **Uniprot ID:** Q15633 Format: Purified **Alternative Name:** TARBP2,TRBP Isotype: Rabbit IgG

Immunogen Information: A partial length recombinant TRBP protein (amino acids 150-366) was used as the immunogen

for this antibody.

## **Description**

TRBP, also known as TARBP2 (TAR (HIV-1) RNA binding protein 2) is a contributory agent of acquired immunodeficiency syndrome (AIDS). TRBP binds between the bulge and the loop of the HIV-1 TAR RNA regulatory element and activates HIV-1 gene expression in synergy with the viral Tat protein. It also plays a role in the production of short interfering RNAs (siRNAs) from double-stranded RNA (dsRNA) by DICER1 and promotes translation of TAR-containing RNAs independently of EIF2AK2/PKR. Diseases associated with TARBP2 include acquired immunodeficiency syndrome. TARBP2 is highly expressed in adipose tissue, adrenal cortex, adrenal gland, amniotic fluid and amygdala. TRBP exists in two isoforms whereas alternate splicing results in multiple transcript variants encoding different isoforms. This gene also has a pseudogene.

## **Product Info**

**Amount :**  $25 \mu g / 100 \mu g$ 

**Purification:** Protein A Chromatography

Content: 25  $\mu$ g in 50  $\mu$ l/100  $\mu$ g in 200  $\mu$ l PBS containing 0.05% BSA and 0.05% sodium azide. Sodium

azide is highly toxic.

**Storage condition :** Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid

repeated freeze and thaw cycles.

## **Application Note**

Western blot analysis: 6-7 ̸µg/ml




Fig-1: Western blot analysis of TRBP. Anti-TRBP antibody (11-13003) was used at 6  $\mu$ g/ml on Hela lysate.