

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

10-7572: Monoclonal Antibody to TIA-1 (Clone: ABM47E1)

Clonality: Monoclonal **Clone Name:** ABM47E1 IHC.WB Application: Reactivity: Human Gene: TIA1 Gene ID: 7072 **Uniprot ID:** P31483 **Purified** Format: **Alternative Name:** TIA1

Isotype: Mouse IgG1

Immunogen Information: A partial length recombinant TIA-1 protein (amino acids 182-385) was used as the immunogen

for this antibody.

Description

TIA1 (T-cell intracellular antigen) are mRNA-binding proteins that can aggregate within granules under specific stress conditions. TIA-1 is a multi-domain ribonucleic acid (RNA) binding protein that recognizes poly-uridine tract RNA sequences to facilitate 5' splice site recognition by the U1 small nuclear ribonucleoprotein (snRNP). TIA1 mutation causes perturbed RNA splicing and cellular stress resulting in WDM (Welander distal myopathy). TIA-1 regulates developmental and stress-responsive pathways through distinct activities at the levels of alternative pre-mRNA splicing and mRNA translation by recognising uridine-rich sequences of RNAs.

Product Info

Amount : $25 \mu g / 100 \mu g$

Purification: Protein G Chromatography

Content: 25 µg in 50 µl/100 µg in 200 µl PBS containing 0.05% BSA and 0.05% sodium azide. Sodium

azide is highly toxic.

Storage condition : Store the antibody at 4°C; stable for 6 months. For long-term storage; store at -20°C. Avoid

repeated freeze and thaw cycles.

Application Note

Western blot analysis: 2-4 μg/ml; Immunohistochemical analysis: 5-10 μg/ml



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Fig-1: Immunohistochemical analysis of TIA-1 in human Liver carcinoma tissue using TIA-1 antibody (Clone: ABM47E1) at 5 μ g/ml.




Fig-2: Western blot analysis of TIA-1. Anti-TIA-1 antibody (Clone: ABM47E1) was tested 2 μ g/ml on (1) DU145 and (2) h Ovary lysates.