

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

35-1211: Polyclonal Antibody to Stathmin 1 (Phospho-Ser38)

Clonality: Polyclonal Application: WB,IHC

Reactivity: Human, Mouse, Rat

STMN1 Gene: Gene ID: 3925 **Uniprot ID:** P16949 Format: Purified

Alternative Name: STMN1, STN1, stathmin

Isotype: Rabbit IgG

Peptide sequence around phosphorylation site of serine 38 (P-L-S(p)-P-P) derived from Human Immunogen Information:

Stathmin 1.

Description

Involved in the regulation of the microtubule (MT) filament system by destabilizing microtubules. Prevents assembly and promotes disassembly of microtubules. Phosphorylation at Ser-16 may be required for axon formation during neurogenesis. Involved in the control of the learned and innate fear

Product Info

 $50 \mu l / 100 \mu l$ Amount:

Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM Content:

NaCl, 0.02% sodium azide and 50% glycerol.

Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid Storage condition:

repeated freeze and thaw cycles.

Application Note

Predicted MW: 19kd, Western blotting: 1:500~1:1000, Immunohistochemistry: 1:50~1:100




Figure 1: Western blot analysis of extracts from K562 cells untreated or treated with starvation using Stathmin 1(Phospho-Ser38) Antibody 35-1211.



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure 2: Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using Stathmin 1(Phospho-Ser38) Antibody 35-1211 (left) or the same antibody preincubated with blocking peptide(right).