

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 32-2960: CDK1 Recombinant Protein

Alternative Name :

Cyclin-Dependent Kinase 1,CDC2,Cell Division Cycle 2, G1 To S And G2 To M,Cell Division Control Protein 2 Homolog,Cell Division Protein Kinase 1,P34 Protein Kinase,P34CDC2,CDC28A,Cell Cycle Controller

CDC2,EC 2.7.11.22,EC 2.7.11.23,CDKN1,

## **Description**

Source: Sf9, Baculovirus cells. CDK1 produced in Sf9 Baculovirus cells is a single, glycosylated polypeptide chain containing 305 amino acids (1-297a.a.) and having a molecular mass of 35.1kDa. CDK1 is expressed with an 8 amino acid His tag at C-Terminus and purified by proprietary chromatographic techniques. Cyclin-dependent kinase 1 (CDK1) plays a significant part in the control of the eukaryotic cell cycle through modulating the centrosome cycle in addition to mitotic onset; CDK1 promotes G2-M transition and regulates G1 progress and G1-S transition using association with multiple interphase cyclins. CDK1 is essential in higher cells for the entry into S-phase and mitosis.

## **Product Info**

Storage condition:

Amount:  $10 \mu g$ 

**Purification:** Greater than 95.0% as determined by SDS-PAGE.

Content: CDK1 protein solution (0. 5mg/ml) contains Phosphate buffered saline (pH7.4), 30% glycerol, 2mM

DTT and 0.1mM PMSF.

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of

time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid

multiple freeze-thaw cycles.

Amino Acid: MEDYTKIEKI GEGTYGVVYK GRHKTTGQVV AMKKIRLESE EEGVPSTAIREISLLKELRH

PNIVSLQDVL MQDSRLYLIF EFLSMDLKKY LDSIPPGQYM DSSLVKSYLY

QILQGIVFCHSRRVLHRDLK PQNLLIDDKG TIKLADFGLA RAFGIPIRVY THEVVTLWYR

SPEVLLGSARYSTPVDIWSI GTIFAELATK KPLFHGDSEI DQLFRIFRAL

GTPNNEVWPEVESLQDYKNT FPKWKPGSLA SHVKNLDENG LDLLSKMLIY DPAKRISGKM

ALNHPYFNDL DNQIKKMLEHHHHHH.

