

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 32-4302: Recombinant Human nudE Nuclear Distribution Gene E Homolog 1

Alternative Name: Nuclear distribution protein nudE homolog 1, NudE, NDE1, NUDE, LIS4, NUDE1, HOM-TES-87.

## **Description**

Source: Escherichia Coli. NDE1 produced in E.Coli is a single, non-glycosylated polypeptide chain containing 355 amino acids (1-335 a.a.) and having a molecular mass of 39.9kDa (Molecular weight on SDS-PAGE will appear higher).NDE1 is fused to a 20 amino acid His-tag at N-terminus & purified by proprietary chromatographic techniques. NDE1 is a cytoplasmic protein which is a member of the nudE protein family. Phosphorylated during mitosis, NDE1 is critical for the formation and function of the mitotic spindle in M phase and functions to regulate the Dynein-mediated transport of kinetochore proteins, as well as centrosome duplication during interphase. NDE1 is believed to interact with NDEL1, LIS1 and Dynein IC1/2, cytosolic in a signaling pathway which regulates the formation of neurons and is fundamental to the development of the cerebral cortex.

## **Product Info**

Amount: 20 µg

**Purification:** Greater than 85.0% as determined by SDS-PAGE.

The NDE1 solution (1 mg/ml) contains 20mM Tris-HCl buffer (pH 8.0), 20% glycerol, 5mM DTT Content:

and 0.2M NaCl.

NDE1 Human Recombinant although stable at 4°C for 1 week, should be stored below -18°C. Storage condition:

Please prevent freeze thaw cycles.

**Amino Acid:** MGSSHHHHHH SSGLVPRGSH MEDSGKTFSS EEEEANYWKD LAMTYKQRAE NTQEELREFQ

> EGSREYEAEL ETQLQQIETR NRDLLSENNR LRMELETIKE KFEVQHSEGY RQISALEDDL AQTKAIKDQL QKYIRELEQA NDDLERAKRA TIMSLEDFEQ RLNQAIERNA FLESELDEKE NLLESVQRLK DEARDLRQEL AVQQKQEKPR TPMPSSVEAE RTDTAVQATG SVPSTPIAHR GPSSSLNTPG SFRRGLDDST GGTPLTPAAR ISALNIVGDL LRKVGALESK LASCRNLVYD QSPNRTGGPA SGRSSKNRDG GERRPSSTSV PLGDKGLDTS CRWLSKSTTR SSSSC.

