

32-4528: Recombinant Human Proteasome Activator Subunit 2

Alternative Name :

Proteasome (prosome,macropain) activator subunit 2 (PA28 beta),PA28beta,Activator of multicatalytic protease subunit 2,Proteasome activator 28 subunit beta,11S regulator complex subunit beta,PA28B,REG-beta,cell migration-inducing protein 22,

Description

Source : E.coli. PSME2 Human Recombinant produced in E.coli is a single, non-glycosylated polypeptide chain containing 259 amino acids (1-239) and having a molecular mass of 29.5 kDa.PSME2 is fused to a 20 amino acid His-tag at N-terminus & purified by proprietary chromatographic techniques. PSME2 is an IFN-gamma inducible proteasome activator essential for production of several key histocompatibility (MHC) class I antigens. Downregulation of PSME2 causes unusual proteasome activation and is connected to the development of intimal hyperplasia (IH) in animal models.

Product Info

Amount :

10 µg

Purification :

Greater than 95% as determined by SDS-PAGE.

Content :

The PSME2 solution (1mg/ml) contains 20mM Tris-HCl buffer (pH 8.0), 0.1M NaCl, 1mM DTT, 0.1mM PMSF and 20% glycerol.

Storage condition :

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA).Avoid multiple freeze-thaw cycles.

Amino Acid :

MGSSHHHHHH SGLVPRGSH MAKPCGVRLS GEARKQVEVF RQNLFQEAE FLYRFLPQKI IYLNQLLQED
SLNVADLTSL RAPLDIIPD PPPKDDEMET DKQEKKEVPK CGFLPGNEKV LLLLALVKPE VWTLKEKCIL
VITWIQHLP KIEDGNDFGV AIQEKVLERV NAVKTKVEAF QTTISKYFSE RGDVAKASK ETHVMDYRAL
VHERDEAAYG ELRAMVLDLR AFYAELYHII SSNLEKIVNP KGEEKPSMY

