

## 34-1087: Polyclonal Antibody to Neurofilament NF-M

<b>Clonality :</b>	Polyclonal
<b>Application :</b>	WB, IF/ICC, IHC
<b>Reactivity :</b>	Human, Rat, Mouse, Cow, Pig, Horse, Chicken
<b>Gene :</b>	NEFM
<b>Gene ID :</b>	4741
<b>Uniprot ID :</b>	P07197
<b>Format :</b>	Conc. IgY prep.
<b>Alternative Name :</b>	160 kDa neurofilament protein, Neurofilament 3, Neurofilament triplet M protein
<b>Isotype :</b>	Chicken, IgY
<b>Immunogen Information :</b>	C-terminal extension of rat NF-M, the so-called KE segment, was expressed in bacteria and purified from inclusion bodies

### Product Info

<b>Amount :</b>	50 µl / 100 µl
<b>Content :</b>	Antibody is supplied as an aliquot of concentrated IgY prep in PBS with 0.02% Na <sub>3</sub> N (total concentration is 26mg/ml)
<b>Storage condition :</b>	Store the antibody at 4°C; stable for 6 months. For long-term storage; store at -20°C. Avoid repeated freeze and thaw cycles.

### Application Note

WB: 1:2,000-5,000, IF/ICC & IHC: 1:500-1,000




Figure-1: Immunofluorescent analysis of rat cerebellum section stained with chicken pAb to NF-M, (34-1087), dilution 1:1,000 in red, and costained with mouse mAb to CNP, dilution 1:500 in green. The blue is DAPI staining of nuclear DNA. Following transcardial perfusion of rat with 4% paraformaldehyde, brain was post fixed for 24 hours, cut to 45µm, and free-floating sections were stained with the above antibodies. The NF-M antibody labels the network of axons of basket neurons and other neurons. The CNP antibody stains oligodendrocytes, cells that create myelin sheaths around axons.




Figure-2: Western blot analysis of different neuronal tissue and cell lysates using chicken pAb to NF-M, (34-1087), dilution 1:2,000 in green: [1] protein standard (red), [2] rat brain [3] rat spinal cord, [4] mouse brain, [5] mouse spinal cord, [6] NIH/3T3 cells, [7] HEK293, [8] HeLa, [9] SH-SY5Y, and [10] C6 cells. Strong band at 145kDa corresponds to rodent NF-M, and about 160kDa band corresponds to human NF-M protein, visible in SH-SY5Y and HEK293 cells which have neuronal properties. NF-M is not expressed in HeLa and other cell lines tested.