

## 39-1023: Anti-Cytokeratin Peptide 7 Monoclonal Antibody (Clone: LDS-68)

Clonality :	Monoclonal
Clone Name :	LDS-68
Application :	WB,IHC-P,IHC-F
Reactivity :	Human
Gene :	KRT7
Gene ID :	3855
Uniprot ID :	P08729
Alternative Name :	K7, CK7, SCL, K2C7, MGC3625
Isotype :	Mouse IgG1
Immunogen Information : Cytoskeletal preparation of the RT4 human bladder carcinoma cell line.	

## Description

KRT7 is a type II keratin of simple nonkeratinizing epithelia. The deduced 489-amino acid protein has a calculated molecular mass of about 54 kD. K7 contains 4 central alpha-helical segments with heptad repeats of hydrophobic residues characteristic of a coiled-coil region. Within this domain, K7 shares 73% homology with epidermal K6B. KRT7 gene contains 9 exons and spans more than 15.6 kb. K7 gene is mapped to chromosome 12. Keratin 7 is expressed in a wide range of epithelial structures in humans.

## **Product Info**

Amount : Purification :	100 μg/vial Ascites
Content :	Mouse ascites fluid, 1.2% sodium acetate, 2mg BSA, with 0.01mg NaN3 as preservative. Reconstitute : Add 1ml of PBS buffer will yield a concentration of 100ug/ml.
Storage condition :	At -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.

## **Application Note**

Western blot :  $1-2\tilde{A} \square \hat{A}_{4}^{1}g/ml$ ; Immunohistochemistry(Paraffin-embedded Section) :  $2-4\tilde{A} \square \hat{A}_{4}^{1}g/ml$ ; Immunohistochemistry(Frozen Section) :  $2-4\tilde{A} \square \hat{A}_{4}^{1}g/ml$