

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 39-1023: Anti-Cytokeratin Peptide 7 Monoclonal Antibody (Clone: LDS-68)

Clone Name : Monoclonal LDS-68

**Application:** WB,IHC-P,IHC-F

 Reactivity :
 Human

 Gene :
 KRT7

 Gene ID :
 3855

 Uniprot ID :
 P08729

Alternative Name: K7, CK7, SCL, K2C7, MGC3625

**Isotype:** Mouse IgG1

Immunogen Information: Cytoskeletal preparation of the RT4 human bladder carcinoma cell line.

## **Description**

KRT7 is a type II keratin of simple nonkeratinizing epithelia. The deduced 489-amino acid protein has a calculated molecular mass of about 54 kD. K7 contains 4 central alpha-helical segments with heptad repeats of hydrophobic residues characteristic of a coiled-coil region. Within this domain, K7 shares 73% homology with epidermal K6B. KRT7 gene contains 9 exons and spans more than 15.6 kb. K7 gene is mapped to chromosome 12. Keratin 7 is expressed in a wide range of epithelial structures in humans.

## **Product Info**

**Amount :**  $100 \mu g/vial$  **Purification :** Ascites

Content: Mouse ascites fluid, 1.2% sodium acetate, 2mg BSA, with 0.01mg NaN3 as preservative.

Reconstitute: Add 1ml of PBS buffer will yield a concentration of 100ug/ml.

Storage condition:

At -20?C for one year. After reconstitution, at 4?C for one month. It can also be aliquotted and

stored frozen at -20?C for a longer time. Avoid repeated freezing and thawing.

## **Application Note**

Western blot : 1-2μg/ml; Immunohistochemistry(Paraffin-embedded Section) : 2-4μg/ml; Immunohistochemistry(Frozen Section) : 2-4μg/ml