

## 32-7557: Recombinant Human Serpin A6 /Transcortin (C-6His)

 Gene :
 SERPINA6

 Gene ID :
 866

 Uniprot ID :
 P08185

## Description

Source: Human Cells. MW :43.67kD.

Recombinant Human Serpin A6 is produced by our Mammalian expression system and the target gene encoding Met23-Val405 is expressed with a 6His tag at the C-terminus. Serpin Peptidase Inhibitor, Clade A, Member 6 (SerpinA6) belongs to the Serine Protease Inhibitors superfamily. SerpinA6 is synthesized in liver and has also been identified in a number of glycocorticoid responsive cells. SerpinA6 has an alpha-globulin protein with corticosteroid-binding properties. It is the major transport protein for glucocorticoids and progestins in the blood of most vertebrates. Defects in SERPINA6 are a cause of corticosteroid-binding globulin deficiency which is an extremely rare hereditary disorder characterized by reduced corticosteroid-binding capacity with normal or low plasma corticosteroid-binding globulin concentration, and normal or low basal cortisol levels associated with hypo/hypertension and muscle fatigue.

## **Product Info**

Amount :	10 µg / 50 µg
Content :	Lyophilized from a 0.2 $\mu$ m filtered solution of 20mM PB, 150mM NaCl, pH 7.4.
Storage condition :	Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.
Amino Acid :	MDPNAAYVNMSNHHRGLASANVDFAFSLYKHLVALSPKKNIFISPVSISMALAMLSLGTCGHTRAQLLQGLGFN LTERSETEIHQGFQHLHQLFAKSDTSLEMTMGNALFLDGSLELLESFSADIKHYYESEVLAMNFQDWATASRQI NSYVKNKTQGKIVDLFSGLDSPAILVLVNYIFFKGTWTQPFDLASTREENFYVDETTVVKVPMMLQSSTISYLHD AELPCQLVQMNYVGNGTVFFILPDKGKMNTVIAALSRDTINRWSAGLTSSQVDLYIPKVTISGVYDLGDVLEEM GIADLFTNQANFSRITQDAQLKSSKVVHKAVLQLNEEGVDTAGSTGVTLNLTSKPIILRFNQPFIIMIFDHFTWSS LFLARVMNPVLDHHHHHH

## **Application Note**

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100  $\tilde{A}$   $\hat{A}\mu g/ml$ . Dissolve the lyophilized protein in ddH2O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

**Endotoxin :** Less than 0.1 ng/ $\tilde{A}$ ] $\hat{A}$ µg (1 IEU/ $\tilde{A}$ ] $\hat{A}$ µg) as determined by LAL test.