

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 32-8341: Recombinant Human Ubiquitin-Conjugating Enzyme E2 D1/UBE2D1/UbcH5a (N-GST)

**Gene ID**: 7321 **Uniprot ID**: P51668

## **Description**

Source: E. coli. MW :42.9kD.

Recombinant Human Ubiquitin-conjugating enzyme E2 D1 is produced by our E.coli expression system and the target gene encoding Met1-Met147 is expressed with a GST tag at the N-terminus. Ubiquitin-conjugating enzyme E2 D1(UBE2D1)belongs to the ubiquitin-conjugating enzyme family. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes, or E1s, ubiquitin-conjugating enzymes, or E2s, and ubiquitin-protein ligases, or E3s. This enzyme is closely related to a stimulator of iron transport (SFT), and is up-regulated in hereditary hemochromatosis. It also functions in the ubiquitination of the tumor-suppressor protein p53 and the hypoxia-inducible transcription factor HIF1alpha by interacting with the E1 ubiquitin-activating enzyme and the E3 ubiquitin-protein ligases.

## **Product Info**

**Amount:**  $10 \mu g / 50 \mu g$ 

Content: Lyophilized from a 0.2 µm filtered solution of 50mM HEPES,150mM NaCl,2mM DTT,10% Glycerin

pH7.5.

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.

**Storage condition :** Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted

samples are stable at -20°C for 3 months.

Amino Acid: MSPILGYWKIKGLVQPTRLLLEYLEEKYEEHLYERDEGDKWRNKKFELGLEFPNLPYYIDGDVKLTQ

SMAIIRYIADKHNMLGGCPKERAEISMLEGAVLDIRYGVSRIAYSKDFETLKVDFLSKLPEMLKMFED RLCHKTYLNGDHVTHPDFMLYDALDVVLYMDPMCLDAFPKLVCFKKRIEAIPQIDKYLKSSKYIAWP LQGWQATFGGGDHPPKSDLVPRGSMALKRIQKELSDLQRDPPAHCSAGPVGDDLFHWQATIMGP PDSAYQGGVFFLTVHFPTDYPFKPPKIAFTTKIYHPNINSNGSICLDILRSQWSPALTVSKVLLSICSL

LCDPNPDDPLVPDIAQIYKSDKEKYNRHAREWTQKYAM

## **Application Note**

Endotoxin: Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.