

## 32-20497: Recombinant Murine M-CSF(Discontinued)

**Reactivity :** Human, Monkey, Mouse, Rat

**Alternative Name :** Macrophage Colony Stimulating Factor, CSF-1, MGI-IM

### Description

**Source:** E.coli M-CSF is a potent hematopoietic factor produced by a variety of cells, including lymphocytes, monocytes, fibroblasts, endothelial cells, myoblasts and osteoblasts. It is a key regulator of cellular proliferation, differentiation, and survival for blood monocytes, tissue macrophages, and their respective progenitor cells. M-CSF has been shown to play important roles in modulating dermal thickness and fertility. M-CSF is clinically used in the treatment of infection, malignancies and atherosclerosis. It facilitates hematopoietic recovery after bone marrow transplantation. Human M-CSF is reactive in murine systems, but the murine molecule exhibits no activity on human cells. Recombinant Murine M-CSF is a 36.4 kDa homodimeric protein consisting of two 156 amino acid polypeptide subunits.

### Product Info

**Amount :** 2 µg / 10 µg

**Purification :** Purity: >= 98% by SDS-PAGE gel and HPLC analyses.

**Content :** This recombinant protein is supplied in lyophilized form.

**Amino Acid :** MKEVSEHCSH MIGNHGLKVL QQLIDSQMET SCQIAFEFVD QEQLDDPVCY LKKAFFLVQD  
IIDETMRFKD NTPNANATER LQELSNLNS CFTKDYEEQN KACVRTFHET PLQLLEKIKN  
FFNETKNLLE KDOWNIFTKNC NNSFAKCSSR DVVTKP

### Application Note

The  $ED_{50}$  as determined by the dose-dependent stimulation of the proliferation of M-NFS-60 cells is  $\hat{A} \leq 1.0$  ng/ml, corresponding to a specific activity of  $\hat{A} \geq 1 \times 10^6$  units/mg.