

### 36-2638: Anti-VEGFR2 / CD309 / Flk-1 / KDR3 (Hemangioblast Marker) Monoclonal Antibody(Clone: KDR721)

<b>Clonality :</b>	Monoclonal
<b>Clone Name :</b>	KDR721
<b>Application :</b>	FACS,IF,Functional Assay
<b>Reactivity :</b>	Human
<b>Gene :</b>	KDR
<b>Gene ID :</b>	3791
<b>Uniprot ID :</b>	P35968
<b>Alternative Name :</b>	CD309; Fetal liver kinase 1 (FLK-1); KDR; Kinase insert domain receptor (a type III receptor tyrosine kinase); KRD1; Ly73; Protein tyrosine kinase receptor FLK1; Protein-tyrosine kinase receptor flk-1; Vascular endothelial growth factor receptor 2
<b>Isotype :</b>	Mouse IgG1, kappa
<b>Immunogen Information :</b>	Recombinant human VEGF-R2 protein

#### Description

CD309, also known as VEGFR2, KDR3, and Flk-1 (Mouse), is a type I transmembrane glycoprotein. It is a member of the CSF-1/PDGF receptor family of type III tyrosine kinase receptors. Human VEGFR2 is mainly expressed by endothelial cells, embryonic tissues, and megakaryocytes. It plays an important role in the regulation of angiogenesis, vasculogenesis, and vascular permeability. The ligands of VEGFR2 include VEGF-A, VEGF-C, VEGF-D, and VEGF splice isoforms. Ligation of VEGFR2 with its ligands results in the receptor dimerization and auto-phosphorylation, stimulating endothelial cell proliferation and migration.

#### Product Info

<b>Amount :</b>	20 µg / 100 µg
<b>Content :</b>	200 µg/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
<b>Storage condition :</b>	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous.

#### Application Note

Flow Cytometry (1-2ug/million cells); Immunofluorescence (1-2ug/ml); Functional Studies (Order Ab without BSA & Azide);