

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

45-1122: Anti-Tocilizumab Antibody (Clone: 14B10), mAb, Mouse

Clone Name: Monoclonal
Clone Name: 14B10
Application: ELISA
Format: Purified

Alternative Name: Mouse monoclonal to Actemra

Isotype: Mouse IgG2b **Immunogen Information:** Tocilizumab

Description

Tocilizumab also known as atlizumab, is a humanized monoclonal antibody that is approved by the U.S. Food and Drug Administration. It has a high affinity to IL-6R and blocks the IL-6 signaling by preventing the formation of the IL-6/IL-6R complex. Tocilizumab is used for the trea™ent of rheumatoid arthritis (RA) and systemic juvenile idiopathic arthritis, a severe form of arthritis in children. Anti-Tocilizumab Antibody (14B10), mAb, Mouse is produced from a hybridoma resulting from the fusion of partner and B-lymphocytes obtained from a mouse immunized with Tocilizumab.

Product Info

Amount: $40 \mu g$

Purification: Protein A chromatography

Content: Iyophilized with PBS, pH 7.4, containing 0.02% sodium azide.

The antibody is stable in lyophilized form if stored at -20°C or below. The reconstituted antibody

Storage condition: can be stored for 2-3 weeks at 2-8°C. For long term storage, aliquot and store at -20°C or below.

Avoid repeated freezing and thawing cycles.

Application Note

Reconstitute Lyophilized antibody with deionized water (or equivalent) to a final concentration of 0.5 mg/ml

Working concentrations for specific applications should be determined by the investigators. The appropriate concentrations may be affected by secondary antibody affinity, antigen concentration, the sensitivity of the method of detection, temperature, the length of the incubations, and other factors. The suitability of this antibody for applications other than those listed below has not been determined. The following concentration range is a recommended starting point for this product.

ELISA detection: 0.01-0.1 µg/ml



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure-1: ELISA binding of Anti-Tocilizumab Antibody (14B10) with Tocilizumab. While the antibody does not recognize the human IgG (data not shown). Coating antigen: Tocilizumab, 1 μ g/ml. Anti-Tocilizumab Antibody (14B10) dilutions start from 1,000 ng/ml. EC50=1.653 ng/ml.




Figure-2: Standard curve of Tocilizumab Sandwich ELISA. The Tocilizumab Sandwich ELISA assay is developed by using Anti-Tocilizumab Antibody (14B10), mAb, Mouse and Anti-Tocilizumab Antibody (6C10), mAb, Mouse as the capture and detection antibodies, respectively In this ELISA assay, Anti-Tocilizumab Antibody (6C10), mAb, Mouse was labeled with Biotin. The sensitivity is less than 100 pg/ml.