

12-9328: Anti-CD171 antibody(DM155), Rabbit mAb

Clonality :	Monoclonal
Clone Name :	DM155
Application :	ELISA,FACS
Reactivity :	Human
Alternative Name	CAML1, CD171, HSAS, HSAS1, MASA, MIC5, N-CAM-L1, N-CAML1, NCAM-L1, S10, SPG1

Description

The protein encoded by this gene is an axonal glycoprotein belonging to the immunoglobulin supergene family. The ectodomain, consisting of several immunoglobulin-like domains and fibronectin-like repeats (type III), is linked via a single transmembrane sequence to a conserved cytoplasmic domain. This cell adhesion molecule plays an important role in nervous system development, including neuronal migration and differentiation. Mutations in the gene cause X-linked neurological syndromes known as CRASH (corpus callosum hypoplasia, retardation, aphasia, spastic paraplegia and hydrocephalus). Alternative splicing of this gene results in multiple transcript variants, some of which include an alternate exon that is considered to be specific to neurons.

Product Info

g
d from cell culture supernatant by affinity chromatography
erile
at -20°C for 12 months (Avoid repeated freezing and thawing)
t

Application Note

ELISA 1/5000-10000;FACS 1/100




Figure 1. ELISA plate pre-coated by 1 $\hat{1}\frac{1}{4}$ g/ml (100 $\hat{1}\frac{1}{4}$ l/well) Human CD171 protein, His tagged protein can bind Rabbit anti-CD171 monoclonal antibody(clone: DM155) in a linear range of 1-100 ng/ml.

₩ abeomics

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982 Email: info@abeomics.com




Figure 2. CD171 protein is highly expressed on the surface of Expi293 cell membrane. Flow cytometry analysis with Anti-CD171 (DM155) on Expi293 cells transfected with human CD171 (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram), and Isotype antibody on Expi293 transfected with irrelevant protein (Orange histogram).