

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-1394: IL 3 HEK Recombinant Protein(Discontinued)

Alternative Name: MCGF (Mast cell growth factor), Multi-CSF, HCGF, P-cell stimulation factor, IL-3, MGC79398, MGC79399.

Description

Source: HEK. Interleukin-3 Human Recombinant produced in HEK cells is a glycosylated monomer, having a molecular weight range of 17-45kDa due to glycosylation. The IL-3 is purified by proprietary chromatographic techniques. IL3 is a potent growth promoting cytokine. This cytokine is capable of supporting the proliferation of a broad range of hematopoietic cell types. It is involved in a variety of cell activities such as cell growth, differentiation and apoptosis. This cytokine has been shown to also possess neurotrophic activity, and it may be associated with neurologic disorders.

Product Info

Amount: $10 \mu g$

Purification : Greater than 90% as observeed by SDS-PAGE. **Content :** The IL3 was lyophilized from 1mg/ml in 1xPBS.

Lyophilized IL-3 although stable at room temperature for 3 weeks, should be stored desiccated

Storage condition : below -18°C. Upon reconstitution IL3 should be stored at 4°C between 2-7 days and for future use below -18°C. For long term storage it is recommended to add a carrier protein (0.1% HSA or

BSA). Please prevent freeze-thaw cycles.

Application Note

It is recommended to reconstitute the lyophilized IL-3 in sterile water not less than $100\tilde{A} \square \hat{A} \mu g/ml$, which can then be further diluted to other aqueous solutions. The activity was determined by the dose dependent stimulation of the proliferation of human TF-1 cells (human erythroleukemic indicator cell line) and is typically 0.5-2ng/ml corresponding to a specific activity of 500,000-2,000,000units/mg.

