

32-1811: TNFSF12 Recombinant Protein

Alternative Name : TWEAK,TNF-related weak inducer of apoptosis,TNFSF12,DR3LG,Apo3-Ligand,APO3L,TNFRSF12A,Tumor necrosis factor ligand superfamily member 12,MGC20669,MGC129581.

Description

Source : HEK293. The TWEAK Human Recombinant is manufactured with N-terminal fusion of 13 amino acid FLAG Tag. The TNFSF12 Flag -Tagged Fusion Protein has a Mw of 18.7kDa containing a total of 169 amino acid residues. TNFSF12 is a cytokine that is part of the TNF ligand family. TNFSF12 is a ligand for the FN14/TWEAKR receptor. TNFSF12 has overlapping signaling functions with TNF, but displays a much wider tissue distribution. TNFSF12 induces apoptosis through multiple pathways of cell death in a cell type-specific manner. TNFSF12 promotes proliferation and migration of endothelial cells, and therefore acts as a regulator of angiogenesis. TNFSF12 is expressed in adult heart, pancreas, skeletal muscle, small intestine, spleen and peripheral blood lymphocytes. TWEAK h induces NFkB and chemokine secretion. TNFSF12 exerts an apoptotic activity in HT-29 human adenocarcinoma cells whilst cultured in the presence of IFN-. TNFSF12 promotes proliferation and migration of endothelial cells.

Product Info

Amount : 25 µg
Purification : Greater than 90% as determined by SDS-PAGE.
Content : Filtered and lyophilized from 0.5mg/ml in 20mM Tris buffer and 50mM NaCl pH-7.5.
Storage condition : Store lyophilized TWEAK Human recombinant at -20°C. Aliquot the product after reconstitution to avoid repeated freezing/thawing cycles. Reconstituted protein can be stored at 4°C for a limited period of time; it does not show any change after two weeks at 4°C.
Amino Acid : HVVDYKDDDDK PAGESAPKGRK TRARRAIAAH YEVHPRPGQD GAQAGVDGTV SGWEARINS
SSPLRYNRQI GEFIVTRAGL YYLYCQVHFD EGKAVYLLKLD LLVDGVLALR CLEEFSAATAA SSLGPQLRLC
QVSGLLALRP GSSLRIRTLP WAHLKAAPFL TYFGLFQVH.

Application Note

Add pyrogen free water to a working concentration of 0.5mg/ml and let the lyophilized pellet dissolve completely. Product is not sterile! Please filter the product by an appropriate sterile filter before using it in the cell culture.