

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

36-1035: Monoclonal Antibody to HCG-alpha (Pregnancy & Choriocarcinoma Marker)(Clone: **HCGa/53)**

Clonality: Monoclonal Clone Name: HCGa/53 Application: IHC Reactivity: Human Gene: **CGA** 1081 Gene ID: **Uniprot ID:** P01215 Format: Purified

Mouse IgG1, kappa Isotype:

Immunogen Information: Recombinant hCG alpha protein

CGA

Description

Alternative Name:

This MAb reacts with a protein of ~13kDa, identified as alpha sub-unit of HCG. HCG is a glycoprotein, which is secreted in large quantities by normal trophoblasts. It is present only in trace amounts in non-pregnant urine and sera but rises sharply during pregnancy. HCG is composed of two non-identical, non-covalently linked polypeptide chains designated as the alpha and beta subunits. The alpha subunit is identical to that of thyroid stimulating hormone (TSH), follicle stimulating hormone (FSH), and luteinizing hormone (LH).

Product Info

Amount: 100 µg

Purification: Affinity Chromatography


100 µg in 500 µl PBS containing 0.05% BSA and 0.05% sodium azide. Sodium azide is highly Content:

Store the antibody at 4°C; stable for 6 months. For long-term storage; store at -20°C. Avoid Storage condition:

repeated freeze and thaw cycles.

Application Note

Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(No special pre-treatment is required for staining of formalin-fixed tissues. Note that HIER is NOT recommended for this antibody.)



Formalin-fixed, paraffin-embedded human Placenta stained with hCG alpha Monoclonal Antibody (HCGa/53).